

Email : mailbox@ikv.fr Site internet : www.ikv.fr

## DESCRIPTION

**TECHNICAL DATA SHEET** 

## ZAROX OYN 7

ZAROX OYN 7 is a non-flammable, colourless and odourless perfluoroalkyl-polyether-type oil. It is totally inert physically and chemically in the event of aggression by all kinds of liquid or gaseous products (except for fluorinated solvents) and thermal and ionising radiation.

ZAROX OYN 7 is safe to use with all metals, plastics, leather, elastomers and seal materials.

**TYPICAL** APPLICATIONS

**ZAROX OYN 7** is suitable for the lubrication of all bearings, sliding bearings chains or joints subjected to extreme temperatures or to aggressive conditions capable of altering conventional lubricants. This oil is also adapted for the lubrication of all plastic and rubber parts thanks to its compatibility with tem.

**TYPICAL** PROPERTIES

Edition of July 2010

1<sup>st</sup> edition

CHARACTERISTICS	VALUES	UNITS	TESTS
Nature of base oil	Fluorinated		
Kinematic viscosity at 40 °C	80	cSt	ASTM D-445
Viscosity index	113		
Colour	Colourless		
Volumic mass at 20°C	1.90	g /cm <sup>3</sup>	ASTM D-1298
Pour point	- 35	°C	ASTM D-97
Vapor pressure at 25°C	$6 \times 10^{-8}$	Torr	ASTM D-5275
at 100°C	6 x 10 <sup>-5</sup>		
Useful temperature range	- 35 to 180	°C	
Volatility (22 hrs at 149°C)	0.6	% weight	ASTM D-972

The information set forth herein is furnished free of charge and is based on technical data that IKV TRIBOLOGIE believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Because conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infrine any patents.